


*Tools By*

**CHANNEL LOCK<sup>®</sup>**



MAINE HARDWARE CO.  
622 CONGRESS STREET  
PORTLAND, MAINE

**CHANNELLOCK, INC.**

MEADVILLE, PENNSYLVANIA 16335, U. S. A.



## CONTENTS

PAGE  
NOS.

### PLIERS

Tongue and Groove 3, 4, 5

Standard Pattern 6, 7, 8, 9

Electronics 10

Little Champ Precision 11

GripLock CLAMPING TOOL 12

ADJUSTABLE WRENCHES 13

HAMMERS 14, 15

SCREWDRIVERS and NUTDRIVERS 16, 17

### MISCELLANEOUS

Cutters, Heavy Duty 19

Fence Tool 19

Hoof Shears, Parers 18, 19

Knives 18

Nippers 19


Tool Holsters 18

SALES REPRESENTATIVES Back Cover

# CHANNEL LOCK<sup>®</sup>

## *....the ORIGINAL tongue and groove plier*

The most versatile plier ever made . . . so say millions of tool users who buy and use CHANNELLOCK, the ORIGINAL tongue and groove pliers. As shown on the next two facing pages, you will find that the CHANNELLOCK tongue and groover has grown into a family of sizes offering the user a wide range of choices for his job requirements. Most importantly, listed in the cutaway illustration below are the unique, exclusive CHANNELLOCK features which make it the world's most-wanted plier.



1. Nose design provides greater utility for gripping small objects.

2. Rite-Angle teeth guarantee maximum bite and minimum wear. Specially hardened.

3. Precision machined interlocking surfaces provide perfect fit, thus distributing pressure evenly.

4. Wide base lugs provide maximum cross section strength . . . cannot shear.

5. Interlocking principle positively prevents slipping under any load . . . the heavier the job, the greater the interlocking action.

6. Patented design of tension edge provides more strength and eliminates stress concentration at channels.


**CHAN NEL LOCK** ... the ORIGINAL tongue and groove plier



424



426




410



420




422



415



430



440



442



460-G

**TABLE OF SIZES AND JAW CAPACITIES**

No.	Size	No. of Adjustments	Jaw Capacity	Weight per Dozen	Packed per Carton
410	9½"	4	1⅛"	12½ Lbs.	6
415*	10"	7	2"	10 Lbs.	6
420†	9½"	5	1½"	9¼ Lbs.	6
422‡	9½"	5	1½"	9¼ Lbs.	6
424‡	4½"	4	½"	1 Lb.	6
426	6½"	5	⅞"	4 Lbs.	6
430	10"	7	2"	10 Lbs.	6
440	12"	7	2¼"	15½ Lbs.	6
442‡	12"	7	2¼"	15½ Lbs.	6
460-G	16"	8	4¼"	36 Lbs. Individually	

\*Smoothjaw. †Curved-Jaw.  
 ‡Govt. Specs. GGG-P-471c—Type II, Class I, Style A, Size 5" (No. 424); Size 10" (No. 420).

NOTE: The No. 460-G is furnished only with blue dipped plastic grips. All other pliers shown here are available with plastic grips at slight extra cost.



### BATTERY PLIERS

**307**

Length 7". Capacity  $\frac{1}{4}$ " to  $\frac{5}{8}$ ". Weight  $4\frac{1}{4}$  lbs. per doz. Polished Head, Blued Handles. Blue dipped plastic grips optional. Packed  $\frac{1}{2}$  dozen per carton.



### SHORT NOSE SHEARING PLIER

**308-G**

Length 8". Weight 8 lbs. per doz. Full polished finish. Blue dipped plastic grips. High leverage design permits easy cutting of channel iron flanges. Pocket size, handy to use. Packed  $\frac{1}{2}$  dozen per carton.



### LONG NOSE PLIER


**317 $\frac{1}{2}$  • 3017 $\frac{1}{2}$**

WITH CUTTER      WITHOUT CUTTER

Length 7 $\frac{1}{2}$ ". Point  $\frac{3}{32}$ " round. Weight 5 lbs. per doz. Polished steel finish. Blue dipped plastic grips optional. Packed  $\frac{1}{2}$  dozen per carton.

No. 317 $\frac{1}{2}$ : Govt. Specs. GGG-P-471c—Type XI, Class 1, Style A, Size 7" (with side-cutter).

No. 3017 $\frac{1}{2}$ : Govt. Specs. GGG-P-471c—Type XI, Class 1, Style B, Size 7" (without side-cutter).



### LONG NOSE PLIER

**326 • 3026**

WITH CUTTER      WITHOUT CUTTER

Length 6". Point  $\frac{3}{32}$ " round. Weight  $3\frac{3}{4}$  lbs. per doz. Polished steel finish. Blue dipped plastic grips optional. Packed  $\frac{1}{2}$  dozen per carton.

No. 326: Govt. Specs. GGG-P-471c—Type XI, Class 1, Style A, Size 6" (with side-cutter).

No. 3026: Govt. Specs. GGG-P-471c—Type XI, Class 1, Style B, Size 6" (without side-cutter).



### DIAGONAL CUTTING PLIER—Lap Joint

**337**

Length 7". Weight 6 lbs. per doz. Polished steel finish. Blue dipped plastic grips optional. Packed  $\frac{1}{2}$  dozen per carton.

Govt. Specs.: GGG-P-471c—Type IV, Class 2, Size 7".



### ELECTRICIANS' WIRING PLIER

**337-W (U. S. PAT. NO. 2990735)**

Length 7". Weight 6 lbs. per doz. Polished steel finish. Wire stripping notches for 14 and 12 gauge wire. Blue dipped plastic grips optional. Packed  $\frac{1}{2}$  dozen per carton.

Specially designed to quicken the installation of electrical outlets. Cuts, strips insulation and loops wire. Patented notches strip insulation quickly, cleanly.

# standard pattern pliers



## LINEMEN'S PLIER — Rounded Nose

**346 • 347 • 348½**

Polished steel finish. Blue dipped plastic grips optional. Side-cutter. Packed ½ dozen per carton.

No.	Size	Wgt. per Doz.
346	6"	5 lbs.
347	7"	7 lbs.
348½	8½"	10¾ lbs.



## WIREMASTER PLIER

**349**

Length 9". Weight 12 lbs. per doz. Polished steel finish. Blue dipped plastic grips optional. Packed ½ doz. per carton. The finest linemen's and electricians' wire-cutting plier ever offered. Joint rivet closer to cutting edges, provides 40% more cutting power than standard-design pliers. Special enclosed-joint construction holds cutters in perfect alignment for life of plier . . . ensures perfectly matched cutters always.



## LINEMEN'S PLIER — Bevel Nose

**3046 • 3047 • 3048½**

Polished steel finish. Blue dipped plastic grips optional. Side-cutter. Packed ½ dozen per carton.

No.	Size	Wgt. per Doz.
3046	6"	5 lbs.
3047	7"	7 lbs.
3048½	8½"	10¾ lbs.

No. 3046: Govt. Specs. GGG-P-471c—Type IX, Class 1, Style A, Size 6".

No. 3046 with Grips: Govt. Specs. GGG-P-471c—Type IX, Class 1, Style B, Size 6".

No. 3048½: Govt. Specs. GGG-P-471c—Type IX, Class 1, Style A, Size 8".

No. 3048½ with Grips: Govt. Specs. GGG-P-471c—Type IX, Class 1, Style B, Size 8".



## END CUTTER

**356 • 357**

Polished steel finish. Blue dipped plastic grips optional. Specially hardened cutting edges. Packed ½ dozen per carton.

No.	Size	Wgt. per Doz.
356	6"	5 lbs.
357	7"	7½ lbs.

No. 356: Govt. Specs. GGG-N-350a—Type I, Class 2, Style A, Size 6".

No. 357: Govt. Specs. GGG-N-350 — Type I, Class 2, Style A, Size 7".



## LONG REACH DUCK-BILL PLIER

**378**

Length 8". Weight 5 lbs. per doz. Polished steel finish. Blue dipped plastic grips optional. Packed ½ dozen per carton.

No. 378: Govt. Specs. GGG-P-471c—Type XV, Class 2, Size 8".




## LONG REACH NEEDLE-NOSE PLIER

**3078**

Length 8". Weight 4½ lbs. per doz. Polished steel finish. Blue dipped plastic grips optional. Packed ½ dozen per carton.

No. 3078: Govt. Specs. GGG-P-471C—Type XI, Class 2, Style B, Size 8".






### CURVED LONG NOSE PLIER

**386**

Length 6". Weight 3 $\frac{3}{4}$  lbs. per doz. Point  $\frac{3}{32}$  round. Without cutter. Serrated jaws. Polished steel finish. Blue dipped plastic grips optional. Packed  $\frac{1}{2}$  dozen per carton.

Govt. Specs.: GGG-P-471c, Type XII, Class 1.



### DIAGONAL CUTTING PLIER


**435 or 436**

Polished finish. Specially hardened cutting edges. Blue dipped plastic grips optional. Packed  $\frac{1}{2}$  dozen per carton.

No.	Size	Wgt. per Doz.
435	5"	2 $\frac{3}{4}$ lbs.
436	6"	4 $\frac{1}{2}$ lbs.

No. 435: Govt. Specs. GGG-P-471c—Type IV, Class 1 Style B, Size 5".

No. 436: Govt. Specs. GGG-P-471c—Type IV, Class 1 Style B, Size 6".



### DIAGONAL CUTTING PLIER

**437**

Length 7". Weight 6 $\frac{1}{4}$  lbs. per doz. Polished steel finish. Blue dipped plastic grips optional. Specially hardened cutting edges. Packed  $\frac{1}{2}$  dozen per carton.

No. 437: Govt. Specs. GGG-P-471c—Type IV, Class 1 Style B, Size 7".



### CURVED DIAGONAL CUTTING PLIER

**447 - Lap Joint**

Length 7 $\frac{3}{4}$ ". Weight 7 lbs. per doz. Polished steel finish. Blue dipped plastic grips optional. Specially hardened cutting edges. Packed  $\frac{1}{2}$  dozen per carton. Popular for pulling cotter pins because of curved design.



### SNOW TIRE STUD REMOVER PLIER

**457-G**

Length 7". Weight 8 lbs. per doz. Full polished finish. Blue dipped plastic grips. Snow tire stud removal made easy because of specially designed nose and hand filed gripping edges. Diagonal design provides working clearance for hands. Packed  $\frac{1}{2}$  dozen per carton.



### PLASTIC-CUTTING DIAGONAL

**486-GS • 487-GS**

Polished steel finish. Blue dipped plastic grips. Packed  $\frac{1}{2}$  doz. per carton. Cutting edges filed flush for clean trimming of molded plastics sprues. Unique spring arrangement maintains comfortable handle spread. Thin nose permits easy access to close work. Designed for cutting plastics or other soft material *only*.

486-GS	6"	5 lbs.
487-GS	7"	6 lbs.



# standard pattern pliers



## SLIP-JOINT PLIER — Thin Nose

**516**

Length 6". Weight 4¾ lbs. per doz. Polished steel finish. Wire cutting shear. Blue dipped plastic grips optional. Packed ½ dozen per carton.

Govt. Specs. GGG-P-471c—Type II, Class 2, Style B, Size 6".



## SLIP-JOINT PLIER with Side-Cutter

**537**

Length 7". Weight 6¾ lbs. per doz. Polished steel finish. Blue dipped plastic grips optional. Packed ½ dozen per carton.

A precision tool with a fine cutting edge.



## SLIP-JOINT PLIER—Heavy Duty with Cutter

**546 • 548 • 5410**

Finest quality slip-joint pliers. Polished steel finish. Blue dipped plastic grips optional. Packed ½ dozen per carton.

No.	Size	Wgt. per Doz.
546	6"	5½ lbs.
548	8"	7½ lbs.
5410	10"	10½ lbs.

No. 546: Govt. Specs. GGG-P-471c—Type II, Class 2, Style A, Size 6".

No. 548: Govt. Specs. GGG-P-471c—Type II, Class 2, Style A, Size 8".

No. 5410: Govt. Specs. GGG-P-471c—Type II, Class 2, Style A, Size 10".



No. 546  
No. 548



No. 5410

## BRAKE SPRING PLIER — Bendix Fitting

**614**

Length 14". Weight 14 lbs. per doz. Smooth black finish. Packed ½ dozen per carton.

Equally efficient for Standard or Bendix type brake spring arrangements.



## SLIP-ON PLASTIC GRIPS

For maximum handle-grip comfort, durable plastic grips for all 6" (small), 7" (medium), 8", 9½" and 10" (large) Channellock Pliers. Light blue color for good visibility, reduces plier loss. Easy to install, full instructions with each pair. Order by indicating size. Packed ½ dozen per carton.



## DIPPED PLASTIC GRIPS

All Channellock Pliers can be ordered with blue, dipped-plastic, cushion-grip handles. Our 700 Series Pliers and our "Little Champ" Pliers, shown on pages 10 and 11 are offered only with dipped grips. On all other Channellock Pliers, dipped grips are optional at slight extra cost.



## electronics pliers



### LONG REACH FLAT-NOSE PLIER

**718-G**

Length 8". Weight 5 lbs. per doz. Polished steel finish. Blue plastic grips. Precision-matched jaws. Specially designed for all types of electronics work. Packed ½ dozen per carton.



### LONG REACH DIAGONAL CUTTER

**728-G** (U. S. PAT. NO. 2990735)

Length 7½". Weight 5 lbs. per doz. Polished steel finish. Blue plastic grips. Patented wire-stripping notch that really works. Versatile cutter for electrical and electronics work. Packed ½ dozen per carton.



### LONG REACH ROUND-NOSE PLIER

**738-G**

Length 8". Point ⅜" round. Weight 5 lbs. per doz. Blue plastic grips. Precision machined points. Excellent for fine work in hard to reach places. Specially designed for all types of electronics work. Packed ½ dozen per carton.



### LONG REACH END CUTTER

**748-G**


Length 8". Weight 5 lbs. per doz. Blue plastic grips. Hand honed, specially hardened cutting edges. A very useful end cutter in all types of close, hard to reach electronics jobs. Packed ½ dozen per carton.



### HEATSORB CLAMP

**46**

Length 5". Weight ¾ lbs. per doz. Packed 6 per carton. A specially designed "heat sink" that prevents heat damage to electronic components during soldering. Also a handy, self-gripping "third hand" that holds and retrieves small parts in close work.



DISPLAY NO. 46-D

### HEATSORB CLAMP DISPLAY

**Display No. 46-D**

Your customers will eye 'em and buy 'em from this compact, salesmaker display. Eased for the counter . . . grommeted for the wall. Six No. 46 Heatsorb Clamps are installed on card when shipped from factory. Display supplied at no extra cost when ordered with clamps. Specify Display No. 46-D.



DISPLAY NO. 700-D

### 700 SERIES DISPLAY

**Display No. 700-D**

Service men and home craftsmen go for—and buy—precision made Channellock Electronics Pliers mounted on this eye-catching display. Eased for counter or shelf. Grommeted for peg board or wall display. One each of Plier Nos. 718G, 728G, 738G and 748G are installed on board when shipped from factory. No charge for display when ordered with pliers. Specify Display No. 700-D.

# Little Champ precision pliers

Finest quality, small pliers specially designed for delicate bench work. Widely used in electronics work, model making, jewelry and watch repair. Drop forged from high grade steel. Precision made and polished to a jeweler's finish. Dipped blue plastic cushion grip handles only. Packed six per carton.

No.	Style	Length	Wt. per Doz.
41G	Diagonal Cutter.....	4 1/4"	1 lb.
41GS	Diagonal Cutter, Coiled Spring.....	4 1/4"	1 lb.
42G	End Cutting Nipper.....	4"	1 1/2 lb.
43G	Needle Nose, No Side Cutter, Plain Nose....	4 3/4"	1 1/4 lb.
43GS	Needle Nose, No Side Cutter, Plain Nose, Coiled Spring.....	4 3/4"	1 1/4 lb.
44G	Flat Nose.....	4 3/4"	1 1/2 lb.
45G	Round Nose.....	4 1/2"	1 1/4 lb.
47G	Needle Nose, Side Cutter, Nose Serrations... ..	4 3/4"	1 1/4 lb.
47GS	Needle Nose, Side Cutter, Nose Serrations, Coiled Spring.....	4 3/4"	1 1/4 lb.
48G	Transverse End Cutter..	4 3/4"	1 1/4 lb.
49G	Curved Needle Nose....	4 1/2"	1 1/4 lb.

No. 41: Govt. Specs. GGG-P-471c—Type IV, Class 1, Style B, Size 4".  
 No. 42: Govt. Specs. GGG-N-350a—Type I, Class 2, Style A, Size 4 1/2".  
 No. 43: Govt. Specs. GGG-P-471c—Type XI, Class 1, Style B, Size 4 1/2". (Jaws not serrated).  
 No. 45: Govt. Specs. GGG-P-471c—Type X, Class 2, Style B, Size 4".  
 No. 47: Govt. Specs. GGG-P-471c—Type XI, Class 1, Style A, Size 4 1/2" (Jaws serrated).


## LITTLE CHAMP DISPLAY No. 4110G



Your customers will buy them on sight from this attractive, 3-color display . . . eased for the counter, grommeted for the wall. Pliers installed on card at the factory. No charge for display when ordered with one each of the pliers. Specify Display No. 4110G.

## LITTLE CHAMP GIFT PACKAGE


An ideal gift package as well as attractive show case or window display . . . five Little Champ Precision Pliers nested in a velour-lined case with clear plastic cover.



4210-G—With Grips


Furnished with the following pliers: Nos. 41, 42, 44, 45 and 47. Specify Gift Package 4210-G.

# CHANNEL LOCK®




# CHANNEL LOCK®

*The Clamping Tool You Can Operate With One Hand*




## No. 910 GripLock®




### 1. OPEN IT!

With one hand, easily, to a full 1 3/4". Just pull back on the patented jaw operator. (Pat. No. 2997903)




### 2. LET GO!

The spring closes the jaws. No screws to adjust. Another patented feature. (Pat. No. 2531285).




### 3. LOCK IT!

Still with one hand. Simply close the handle to lock the jaws on the work.



### 4. E-Z RELEASE!

With one finger-tip operation, trip the patented release lever. (Pat. No. 2576286).



### 5. OPEN IT!

Two-finger pull on the jaw operator releases jaws from the work.

Length: 10 inches

Weight per Dozen: 18 lbs.

Packed individually

No. 910  
Straight Jaw

No. 910-C  
Curved Jaw



# adjustable wrenches



- Drop Forged of Special Analysis Steel.
- Heat Treated for Maximum Toughness and Proper Hardness of Working Surfaces.
- Chromium Plated.
- Thin, Strong, Streamlined for Maximum Usefulness and Durability.
- Packed in Individual Boxes.
- Available Either with or without Blue Dipped Plastic Cushion-Grip Handles.

## WRENCH SPECIFICATION TABLE

Tool No.	Size	Thickness of Head			Packed Weight		
		Capacity	Jaw Tip	Thickest Point	Each	Per Doz.	W/Grips per Doz.
804	4"	1/2"	1/8"	5/16"	2 oz.	2 1/2 lbs.	2 1/2 lbs.
806	6"	3/4"	7/32"	3/8"	4 oz.	3 lbs.	4 lbs.
808	8"	1 1/16"	9/32"	1 1/32"	8 oz.	6 lbs.	7 1/2 lbs.
810	10"	1 1/8"	13/32"	1 1/32"	13 oz.	9 1/2 lbs.	11 lbs.
812	12"	1 1/16"	1 1/32"	3/4"	1 lb. 9 oz.	18 lbs.	20 lbs.
815	15"	1 11/16"	1 1/32"	1 1/16"	3 lbs. 4 oz.	45 lbs.	45 lbs.

No. 815—15" has Tapered Handle. Packed only in individual box. All Tool Numbers above conform to Govt. Spec. GGG-W-631a—Type I.

**Note:** When ordering wrenches with plastic grips, specify by adding suffix letter G to Tool No. Example: 808-G.

## HANDY REPAIR KIT No. 800-RK

A turnover-proved, practical 48 piece assortment of repair parts packed in a compartmented box for minimum inventory, maximum customer accommodation. **Repair parts for tool No. 815 not included in kit No. 800-RK; must be ordered separately.** Includes the following repair parts:

JAWS			KNURLS			PINS and SPRINGS		
Part No.	Size	Quan.	Part No.	Size	Quan.	Part No.	Size	Quan.
4J	4"	2	4K	4"	2	4PS	4"	2
6J	6"	5	6K	6"	3	6PS	6"	3
8J	8"	4	8K	8"	4	8PS	8"	3
10J	10"	2	10K	10"	2	10PS	10"	2
12J	12"	1	12K	12"	1	12PS	12"	1

## INDIVIDUAL REPAIR PARTS TABLE

JAWS		KNURLS		PINS and SPRINGS	
Part No.	Size	Part No.	Size	Part No.	Size
4J	4"	4K	4"	4PS	4"
6J	6"	6K	6"	6PS	6"
8J	8"	8K	8"	8PS	8"
10J	10"	10K	10"	10PS	10"
12J	12"	12K	12"	12PS	12"
15J	15"	15K	15"	15PS	15"

## PEGBOARD DISPLAYS



PERMANENT			DISPENSING		
Quan.	Tool No.	Size	Quan.	Tool No.	Size
1	804	4"	2	804	4"
1	806	6"	3	806	6"
1	808	8"	3	808	8"
1	810	10"	3	810	10"
1	812	12"	3	812	12"
1	815	15"	2	815	15"

Order display as follows:  
800P—Without Easel  
800PE—With Easel


Order display as follows:  
800D—Without Easel  
800DE—With Easel

## PLYWOOD DISPLAYS

If so desired, blue lacquered 3/4" plywood displays in your choice of dispensing or permanent styles, designed for wall mounting only, are available. Tool assortments and list price costs are the same as those shown above for Pegboard Displays. Order Plywood Displays as follows: 801D (Dispensing)—801P (Permanent).



DISPLAYS:  
800P  
800PE



DISPLAYS:  
800D  
800DE

## hammers

### ENGINEERS' HAMMER – Double Face

**16½**

Drop forged. NuRed enamel finish. Polished faces. Best quality hickory handles.

New Nos.	Size	Wgt. Each	Wgt. per Doz.	No. Carton
1624	1	1½ lbs.	24½ lbs.	6
1640	*2	2½ lbs.	36 lbs.	6
1648	*3	3 lbs.	41½ lbs.	6

\*Govt. Specs. GGG-H-86a—Type G, Weight 2½ and 3 lbs.



### MACHINISTS' BALL PIEN HAMMER

**20½**

Drop forged. Best quality hickory handles. Polished ball and face. NuRed enamel body.

#### Size and Weight Data

New Nos.	Size	Wgt. Each	Wgt. per Doz.	No. Carton
2002	7/0	2 oz.	3¼ lbs.	6
2003	†6/0	3 oz.	3½ lbs.	6
2004	5/0	4 oz.	5 lbs.	6
2006	4/0	6 oz.	6½ lbs.	6
2008	3/0	8 oz.	10 lbs.	6
2012	2/0	12 oz.	12 lbs.	6
2016	0	1 lbs.	15 lbs.	6
2020	1	1½ lbs.	18½ lbs.	6
2024	2	1½ lbs.	21½ lbs.	6
2032	4	2 lbs.	29½ lbs.	6
2040	6	2½ lbs.	36¾ lbs.	4
2048	†8	3 lbs.	42½ lbs.	4

Govt. Specs. GGG-H-86a—Type L, Class 1, Weight 2 oz. to 2½ lbs.

†No Specs. for 6/0 and 8.



### BRICK HAMMER


**27½**

Drop forged. NuRed enamel finish. Polished face and blade. Adze eye. Best quality hickory handle.

Size	Wgt. Each	Wgt. per Doz.	No. Carton
2/0	10 oz.	12 lbs.	4
0	18 oz.	18¾ lbs.	4
*1	24 oz.	24 lbs.	4

DISCONTINUED

\*Govt. Specs. GGG-H-86a—Type C, Weight 24 oz. only.



### BRICK SET – Single Bevel

**52**

**Discontinued**

Drop forged. NuRed enamel finish.

Size	Wgt. per Doz.	No. Carton
3"	15 lbs.	6
3½"	16½ lbs.	6
4"	18 lbs.	6

### BRICK CHISEL – Double Bevel

**53**

**Discontinued**

Drop forged. NuRed enamel finish.

Size	Wgt. per Doz.	No. Carton
3"	15 lbs.	6
3½"	16 lbs.	6
4"	17¾ lbs.	6



NO. 52  
SINGLE  
BEVEL



NO. 53  
DOUBLE  
BEVEL

# hammers



## BLACKSMITHS' HAND HAMMER

**62½**

Drop forged. NuRed enamel finish. Polished face and pien. Best quality hickory handle.

New Nos.	Size	Wgt. Each	Wgt. per Doz.	No. Carton
6224	0	1½ lbs.	23 lbs.	6
6232	*1	2 lbs.	28½ lbs.	6
6240	*2	2½ lbs.	36½ lbs.	6
6248	*3	3 lbs.	42½ lbs.	6
6256	4	3½ lbs.	53½ lbs.	4
6264	*5	4 lbs.	61¾ lbs.	4

\*Govt. Specs. GGG-H-86a—Type A, Weight 2, 2½, 3 and 4 lbs. only.



## ELECTRICIANS' HAMMER

**88**

Drop forged. Polished finish. NuRed enamel neck and under claw. Best quality hickory handle.

Size	Wgt. Each	Wgt. per Doz.	No. Carton
1	18 oz.	18¼ lbs.	6



## "OUR PRIDE" NAIL HAMMER

**451½**

Drop forged of special analysis steel, properly heat treated for maximum durability. Square face enables easier driving of nails close to abutting surfaces and in corners. Lacquered, full octagon, non-slipping, best quality hickory handle.

Size	Wgt. Each	Wgt. per Doz.	No. Carton
1	16 oz.	17¼ lbs.	6

Govt. Specs. GGG-H-86a—Type D, Class I, Weight 16 oz. only.




## GARAGE HAMMER ASSORTMENT

**361**

Sell them by the set . . . three sizes of Ball Pien Hammers and one Mechanics' Hand Hammer in this sturdy re-inforced carton. Packed four hammers per carton as follows:

One each 6 oz., 12 oz. and 1¼ lb. Ball Pien Hammers and one 3 lb. Mechanics' Hand Hammer. Shipping weight this assortment, 6½ lbs. Other sizes and styles of hammers may be ordered. See Page 14.

Hammer Assortment No. 361



## screwdrivers



### ROUND SHANK

NUMBER	BLADE DIAM. & LENGTH	WEIGHT PER DOZ. LBS.
181RD	1/8" x 1"	.4
3164RD	3/16" x 4"	1.7
3166RD	3/16" x 6"	1.8
3168RD	3/16" x 8"	2.2
31610RD	3/16" x 10"	2.3
144RD	1/4" x 4"	2.4
146RD	1/4" x 6"	2.8
5166RD	5/16" x 6"	3.6


Packed six per carton



### SQUARE SHANK

NUMBER	BLADE DIAM. & LENGTH	WEIGHT PER DOZ. LBS.
141SQ	1/4" x 1"	1.2
3164SQ	3/16" x 4"	1.8
144SQ	1/4" x 4"	2.8
146SQ	1/4" x 6"	3.0
148SQ	1/4" x 8"	3.6
5166SQ	5/16" x 6"	4.4
5168SQ	5/16" x 8"	5.2
388SQ	3/8" x 8"	6.6
3812SQ	3/8" x 12"	7.2

Packed six per carton



DISPLAY SD-3 or SD-4

### SILENT SALESMAN DISPLAY

Your customers will eye 'em and buy 'em from this compact, colorful peg-board display. A balanced assortment of screwdrivers and nutdrivers to meet your customer requirements. Size of board: 24" x 24". No charge for display when ordered with tools. This Board consists of 3 each of all screwdrivers and nutdrivers listed on this page and the following page.

Weight of tools 20 lbs. Weight of board, 10 lbs. Order display as follows: S D-3—without Easel. S D-4—with Easel.



# screwdrivers



## PHILLIPS

NUMBER	BLADE DIAM. & LENGTH	WEIGHT PER DOZ. LBS.
102-SP stubby	1/4" x 1 1/16"	1.2
101-P	3/16" x 3"	1.6
102-P	1/4" x 4"	2.4
103-P	5/16" x 6"	3.6
104-P	3/8" x 8"	6.1

Packed six per carton



## NUTDRIVERS

NUMBER	HEX OPENING	BLADE LENGTH	WGT., PER DOZ., LBS.
3/16	3/16"	3"	2
7/32	7/32"	3"	2
1/4	1/4"	3"	2
9/32	9/32"	3"	2
5/16	5/16"	3"	2
11/32	11/32"	3"	2
3/8	3/8"	3"	2
7/16	7/16"	3 1/8"	3
1/2	1/2"	3 1/8"	3

Packed six per carton



## SCREWDRIVER AND NUTDRIVER KITS

Pocket-size, handy bench sets, color coded. Special E-Z Grip handle included.


### SD-5 Set Includes—

- 5 Screwdrivers: 3/32", 1/8", 5/32", 3/16", 1/4".
- 3 Phillips Head No. 0, No. 1, No. 2.

### ND-1 Set Includes—

- 10 Nutdrivers: 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8".

**Recommended order:** Convenient display package of 10 kits. Weight: 5 lbs.



SD-5

ND-1



No. 1



No. 2

### ALL PURPOSE TOOL HOLSTER

1 • 2

- Master-crafted for Heavy Duty Service.
- Highest Quality, Top Grain Leather.
- Heavy Duty, Hot-Waxed Stitching for Maximum Durability.
- All Stress Points Reinforced with Rivets.
- 5-Pocket Capacity.
- Convenient Knife or Wrench Snap
- Heavy Duty Construction throughout insures years of hard service.

No. 1—5 Pocket, Size 9¼" x 8½", Packed individually, Weight per doz., 7 lbs.


No. 2—5 Pocket, Size: 9¼" x 10½", Packed individually, Weight per doz., 9 lbs.



### SKINNING KNIFE

10

Unbreakable Phenolic Plastic Handles. Positive blade lock prevents accidental closing of blade. Safety lock is released by slight thumb pressure. 3" precision-honed steel blade. 4" closed length. Packed 6 per carton. Weight per dozen, 3 lbs. Now furnished with shackle.



### ELECTRICIANS' KNIFE

11

Unbreakable Phenolic Plastic Handles. Positive blade lock on screwdriver for maximum safety. Slight thumb pressure releases safety lock.

Equipped with convenient riveted shackle. 2½" precision-honed blade. 3" sturdy screwdriver. 3¾" closed length. Packed 6 per carton. Weight per dozen, 3 lbs.

DISPLAYS:

KD-1,  
KD-2,  
KD-3.



### KNIFE DISPLAY

Your customer will eye 'em and buy 'em from this colorful, compact display. Eased for the counter, grommeted for the wall. Specify display as follows:

Display No.	Knife Assortment
KD-1	3—No. 10, 3—No. 11
KD-2	6—No. 10
KD-3	6—No. 11



### "OUR PRIDE" HOOF SHEAR

81

Drop forged. Smooth black finish. Blades have shearing action and are replaceable in sets. Blades weight per dozen pairs, 3 lbs.

Length	Wgt. per Doz.	No. Carton
14"	34½ lbs.	1

# miscellaneous tools



## FENCE TOOL

**85-G**

Drop forged. Polished head. Blue dipped plastic grips. Specially designed for installing and maintaining wire fence on metal or wood posts. Hammer on one jaw, staple starter and puller on the other. Wire stretcher, splicer and two cutters.

Length	Wgt. per Doz.	No. Carton
10½"	18 lbs.	6

Gov. Specs. GGG-P-471c Type XVI




## DUAL-RANGE UTILITY CUTTER

**99**

Drop forged. Smooth black finish. Induction hardened cutting edges for maximum durability. Diagonal cutter design puts handles above level of work, thus clearing hands. Easy change in bolt positions gives wider or narrower jaw opening. Weight extra heads per dozen, 14 lbs.

Length	Wgt. per Doz.	No. Carton
16⅞"	36 lbs.	6



## IMPROVED HOOF PARER

**100**

Drop forged from special analysis steel for rugged service. Polished head. NuRed enamel "T" handles. Cutting edge hand filed.

Length	Wgt. per Doz.	No. Carton
14"	27 lbs.	6



## HEAVY DUTY CUTTING NIPPERS

**148**

Specially designed for Concrete Form Builders, Carpenters, Mechanics, Farmers, etc. for easy cutting of large nails, small spikes, form tie wires, etc. Drop forged. Polished head. NuRed enameled "T" handles. Cutting edges hand filed.

Length	Wgt. per Doz.	No. Carton
10"	13½ lbs.	6
14"	26¼ lbs.	6



# CHANNEL LOCK<sup>®</sup>



## SALES REPRESENTATIVES

California, Los Angeles 90012  
**J. J. BROWN COMPANY**  
 257 S. Spring Street  
 Area Code 213, MADison 2-3263

California, San Francisco 94124  
**J. J. BROWN COMPANY**  
 1485 Bayshore Boulevard  
 Area Code 415, 467-2255

Colorado, Denver 80223  
**WESTERN INDUSTRIAL SALES  
 and SERVICES CO., Inc.**  
 2498 W. 2nd Ave., Unit No. 2  
 Area Code 303, 934-0463

Florida, Ft. Lauderdale 33304  
**GEORGE A. PALMER**  
 P. O. Box 4631  
 1137 N. E. 7th Avenue  
 Area Code 305, 525-3892

Georgia, Atlanta 30303  
**JACK C. LYLE and ASSOCIATES**  
 408 Glenn Building  
 Area Code 404, 688-5544

Illinois, Chicago 60644  
**MUZZY and PETERS**  
 5868 W. Lake Street  
 Area Code 312, 287-1360-1

Michigan, Detroit 48202  
**HOWARD WIXSON**  
**RICHARD NEHLS**  
 1015 Fisher Building  
 Area Code 313, 871-8815

Minnesota, Minneapolis 55426  
**R. L. PERRIN and Assoc., Inc.**  
 Manufacturers Agents Building  
 6518 Walker Street  
 Area Code 612, 929-0426-7

Missouri, Kansas City 64114  
**DAN SCHMELZINGER CO.**  
 11412 Summit Street  
 Area Code 816, Willow 2-5562

Mass., Wellesley 02181  
**TOM SAWYER SALES CO.**  
 19 Rutgers Road  
 Area Code 617, CEDar 5-2667

New York, New York 10007  
**A. P. HENRICKS COMPANY, Inc.**  
 78 Reade Street  
 Area Code 212, 732-9630

Ohio, Cleveland 44116  
**HOWARD W. MURRAY**  
**JAMES W. MURRAY**  
**MICHAEL H. MURRAY**  
 19407 Frazier Drive  
 Area Code 216, 331-3712

Pennsylvania, Pittsburgh 15234  
**EDWARD D. McGINLEY**  
 P. O. Box 10336  
 Area Code 412, 561-7979

Texas, Dallas 75201  
**LYNN and HEMPHILL, Inc.**  
 2116 N. Pearl St.  
 Area Code 214, RIVERSide 7-4745  
 RIVERSide 7-3685

Virginia, Richmond 23230  
**DON MILLER & ASSOCIATES**  
 2252 Staples Mill Road  
 Area Code 703, 353-5324

Washington, Port Orchard 98366  
 (Seattle)  
**ROBERT G. SULLIVAN CO.**  
 Route No. 6, Box 200,  
 Area Code 206, TRIangle 1-0872

**EXPORT SALES DIVISION**  
 P. O. Box 147  
 22500 Lincolnway West  
 South Bend, Indiana 46628  
 Area Code 219, 232-8286